



CLIL Maths Module 1 TASKS

Matching

| | | | |
|---|--|-------------------------|--|
| A | How to square a binomial (formula) | $(7 - x)^2$ | |
| B | $x^2 - 14x + 49$ is the solution of | $(x - 5) \cdot (x + 5)$ | |
| C | The difference of two squares | $x^2 + 25 - 10x$ | |
| D | $x^2 - 25$ is the solution of | $a^2 - b^2$ | |
| E | $(x + 5)^2$ equals to | $a^2 + b^2 + ab$ | |
| F | $(x - 5)^2$ equals | $(x + 7)^2$ | |
| | | $x^2 + 25 + 10x$ | |
| | | $x^2 + 25$ | |
| | | $a^2 + 2ab + b^2$ | |



CLIL Maths Module 1 TASKS

Matching Solution

| | | | |
|---|--|-------------------------|--|
| A | How to square a binomial (formula) | $a^2 + 2ab + b^2$ | |
| B | $x^2 - 14x + 49$ is the solution of | $(7 - x)^2$ | |
| C | The difference of two squares | $a^2 - b^2$ | |
| D | $x^2 - 25$ is the solution of | $(x - 5) \cdot (x + 5)$ | |
| E | $(x + 5)^2$ equals to | $x^2 + 25 + 10x$ | |
| F | $(x - 5)^2$ equals | $x^2 + 25 - 10x$ | |